

S94	14	(original near3 image near3 (fine or detail\$2 or ((high or good) adj resolution)) with scan\$3) same determin\$4	US-PGPUB; USPAT	OR	ON	2005/07/07 16:54
S95	124	pre\$1scan with determin\$4 with (fine or detail or ((good or high) adj resolution))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:56
S96	1	S80 same S95	US-PGPUB; USPAT	OR	ON	2005/07/07 16:56
S97	1	S82 same S95	US-PGPUB; USPAT	OR	ON	2005/07/07 16:57
S98	17	S82 and S95	US-PGPUB; USPAT	OR	ON	2005/07/07 16:57
S99	15225	photosensitive adj drums	US-PGPUB; USPAT	OR	ON	2005/07/07 18:08
S100	6237	(photosensitive adj drums) same (cyan or magenta or yellow or black or C or Y or M)	US-PGPUB; USPAT	OR	ON	2005/07/07 18:11
S101	34541	"382"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/07 18:11
S102	184	S100 and S101	US-PGPUB; USPAT	OR	ON	2005/07/07 18:11
S103	149	S102 and (red or green or blue or RGB)	US-PGPUB; USPAT	OR	ON	2005/07/07 18:12
S104	109	S103 and rotat\$4	US-PGPUB; USPAT	OR	ON	2005/07/07 18:12
S105	5	"029300".ap.	US-PGPUB; USPAT	OR	ON	2005/07/08 09:07

Ref. #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1193	((high or good or enhanced) near2 quality or high or fine near2 resolution or without adj1 degradation) same (select\$4 or choos\$4) adj2 (compression or coding or encoding)	US-PGPUB; USPAT	OR	ON	2005/07/05 10:28
S2	157	((high or good or enhanced) near1 quality or (high or fine) near2 resolution or without adj1 degradation) same (select\$4 or choos\$4) adj2 (compression or coding or encoding)	US-PGPUB; USPAT	OR	ON	2005/07/05 11:40
S3	1	"6345130".pn. and (compress\$4 or cod\$3 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:52
S4	1198	(sufficient or adequate or pre\$1determined or tolerable or tolerant or acceptable or obtainable) near2 (quality or resolution) near5 (compress\$3 or encod\$3 or cod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:55
S5	747	(sufficient or adequate or pre\$1determined or tolerable or tolerant or acceptable or obtainable) near1 (quality or resolution) near5 (compress\$3 or encod\$3 or cod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:55
S6	58	(sufficient or adequate or pre\$1determined or tolerable or tolerant or acceptable or obtainable) near1 (quality or resolution) near5 (compress\$3 or encod\$3 or cod\$3) same (user or operator)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:56
S7	669	(sufficient or adequate or pre\$1determined or tolerable or tolerant or acceptable or obtainable) near1 (quality or resolution) near4 (compress\$3 or encod\$3 or cod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:56
S8	205	(sufficient or adequate or pre\$1determined or tolerable or tolerant or acceptable or obtainable) near2 image near2 (quality or resolution) near4 (compress\$3 or encod\$3 or cod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/05 12:57
S9	878	(density) near5 (scan\$4) near5 (pixel or pixel)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:44
S10	83	(density) near5 (scan\$4) near5 (pixel or pixel) near5 (color or colour or hue)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:08

S11	9	S10 and (pre\$1scan)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:23
S12	68	S9 and pre\$1scan	US-PGPUB; USPAT	OR	ON	2005/07/06 09:29
S13	56	S12 and (compress\$4 or encod\$3 or cod\$4)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:29
S14	64	(density) near5 (pre\$1scan\$4) near5 (pixel or pixcel)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:44
S15	76	S9 and pre\$1scan\$3	US-PGPUB; USPAT	OR	ON	2005/07/06 09:45
S16	2	S15 and (compress\$4 or encod\$3) near2 (rate or ratio or model or algorithm)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:48
S17	10118	(color or colour or hue) near2 convers\$3	US-PGPUB; USPAT	OR	ON	2005/07/06 09:54
S18	725	S17 and (laser adj print\$3)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:49
S19	603	S18 and scan\$4	US-PGPUB; USPAT	OR	ON	2005/07/06 09:50
S20	66	S18 and (scan\$4 near3 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:50
S21	92	S19 and pre\$1scan\$3	US-PGPUB; USPAT	OR	ON	2005/07/06 09:50
S22	208	(color or colour or hue) near2 convers\$3 near5 (cyan or yellow or magneta)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:09
S23	8	S22 and (scan\$4 near2 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:10
S24	14	S22 and (scan\$4 near3 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 09:55
S25	2125	(color or colour or hue) near2 (convers\$3 or transform\$4) same (cyan or yellow or magneta or CMYK)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:09
S26	1752	(color or colour or hue) near2 (convers\$3) same (cyan or yellow or magneta or CMYK)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:22
S27	71	S26 and (scan\$4 near2 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:10
S28	1336	S26 and scan\$4	US-PGPUB; USPAT	OR	ON	2005/07/06 10:22
S29	190	S28 and (photosensitive adj drum)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:58
S30	18	S29 and (compress\$4 or encod\$3) near2 (ratio or rate or model or algorithm)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:58

S31	195	S26 and (photosensitive adj drum)	US-PGPUB; USPAT	OR	ON	2005/07/06 10:58
S32	19	S31 and (compress\$4 or encod\$3) near2 (ratio or rate or model or algorithm)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:14
S33	79	S31 and (compress\$4 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:14
S34	423656	not S32 and "79"	US-PGPUB; USPAT	OR	ON	2005/07/06 11:14
S35	60	not S32 and S33	US-PGPUB; USPAT	OR	ON	2005/07/06 11:24
S36	706	(compress\$4 or encod\$3) near2 (ratio or rate or algorithm or model) near4 setting	US-PGPUB; USPAT	OR	ON	2005/07/06 11:29
S37	3	S36 and S26	US-PGPUB; USPAT	OR	ON	2005/07/06 11:26
S38	905	(compress\$4 or encod\$3) near3 (ratio or rate or algorithm or model) near5 setting	US-PGPUB; USPAT	OR	ON	2005/07/06 12:54
S39	3	S25 and S38	US-PGPUB; USPAT	OR	ON	2005/07/06 11:28
S40	2	S38 and (pre\$1scan\$3 near3 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:33
S41	0	S38 and (scan\$3 near3 density)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:33
S42	248	S38 and (scan\$3)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:34
S43	5	S38 and (scan\$3 with density)	US-PGPUB; USPAT	OR	ON	2005/07/06 11:34
S44	53	(compress\$4 or encod\$3) near3 (ratio or rate or algorithm or model) near4 setting near4 (section or unit)	US-PGPUB; USPAT	OR	ON	2005/07/06 13:29
S45	61111	(inform or notify or enlighten or show) near5 user	US-PGPUB; USPAT	OR	ON	2005/07/06 13:33
S46	16238	(desire\$2 or obtain or predetermined or designat\$2) near2 quality	US-PGPUB; USPAT	OR	ON	2005/07/06 13:34
S47	543	S45 and S46	US-PGPUB; USPAT	OR	ON	2005/07/06 13:33
S48	51249	(inform or notify or enlighten or show) near3 user	US-PGPUB; USPAT	OR	ON	2005/07/06 13:47
S49	468	S48 and S47	US-PGPUB; USPAT	OR	ON	2005/07/06 13:34
S50	1868	(desire\$2 or obtain or predetermined or designat\$2) near2 image adj quality	US-PGPUB; USPAT	OR	ON	2005/07/06 13:34

S51	45	S50 and S48	US-PGPUB; USPAT	OR	ON	2005/07/06 13:34
S52	58	S50 and S45	US-PGPUB; USPAT	OR	ON	2005/07/06 13:51
S53	493	(inform or notify or enlighten or show or warn\$3) near3 (user or operator) with (compress\$4 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/07/06 13:48
S54	4	S53 and S50	US-PGPUB; USPAT	OR	ON	2005/07/06 13:48
S55	3	S50 same S45	US-PGPUB; USPAT	OR	ON	2005/07/06 13:51
S56	23	pre\$1scan near3 density with color	US-PGPUB; USPAT	OR	ON	2005/07/06 14:46
S57	113	pre\$1scan near3 density	US-PGPUB; USPAT	OR	ON	2005/07/06 16:28
S58	7	pre\$1scan near3 density near2 variation	US-PGPUB; USPAT	OR	ON	2005/07/06 14:02
S59	1	"6505024".pn.	US-PGPUB; USPAT	OR	ON	2005/07/06 14:47
S60	1	"6701384".pn.	US-PGPUB; USPAT	OR	ON	2005/07/06 14:47
S61	1	"6351559".pn.	US-PGPUB; USPAT	OR	ON	2005/07/06 15:50
S62	67	pre\$1scan near2 density	US-PGPUB; USPAT	OR	ON	2005/07/07 10:55
S63	1	"5680230".pn. and prescan	US-PGPUB; USPAT	OR	ON	2005/07/07 10:43
S64	0	pre\$1scan near2 density near5 quality	US-PGPUB; USPAT	OR	ON	2005/07/07 10:56
S65	0	pre\$1scan near2 density with quality	US-PGPUB; USPAT	OR	ON	2005/07/07 10:56
S66	7	pre\$1scan near3 density with quality	US-PGPUB; USPAT	OR	ON	2005/07/07 11:16
S67	1	"6792153".pn. and density	US-PGPUB; USPAT	OR	ON	2005/07/07 14:55
S68	0	"0057918".an.	US-PGPUB; USPAT	OR	ON	2005/07/07 14:55
S69	0	"09951431".an.	US-PGPUB; USPAT	OR	ON	2005/07/07 14:56
S70	0	"09/951431".an.	US-PGPUB; USPAT	OR	ON	2005/07/07 14:56
S71	0	(2002/0057918).CCLS.	USPAT; USOCR	OR	OFF	2005/07/07 14:57
S72	2	("0057918").PN.	USPAT; USOCR	OR	OFF	2005/07/07 14:57

S73	0	(09/951431).CCLS.	USPAT; USOCR	OR	OFF	2005/07/07 14:58
S74	3	"951431".ap.	US-PGPUB; USPAT	OR	ON	2005/07/07 15:00
S75	2	"951431".ap. and (user near5 inform\$3)	US-PGPUB; USPAT	OR	ON	2005/07/07 15:41
S76	1	"6792153".pn.	US-PGPUB; USPAT	OR	ON	2005/07/07 16:10
S77	1	"5548663".pn.	US-PGPUB; USPAT	OR	ON	2005/07/07 16:20
S78	1	original near3 image near3 fine with (densit\$3 near5 variation)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:25
S79	818	original near3 image near3 (fine or detail\$2)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:38
S80	13066	density near2 variation	US-PGPUB; USPAT	OR	ON	2005/07/07 16:32
S81	1	S79 same S80	US-PGPUB; USPAT	OR	ON	2005/07/07 16:25
S82	16868	density near4 variation	US-PGPUB; USPAT	OR	ON	2005/07/07 16:32
S83	5287	scan\$3 near3 (fine or detail\$2)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:36
S84	179	S82 and S83	US-PGPUB; USPAT	OR	ON	2005/07/07 16:33
S85	155	S83 and S80	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S86	0	S83 with S80	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S87	3	S83 same S80	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S88	3	S83 same S82	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S89	8225	scan\$3 near5 (fine or detail\$2)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:36
S90	237	S89 and S82	US-PGPUB; USPAT	OR	ON	2005/07/07 16:36
S91	4	S89 same S82	US-PGPUB; USPAT	OR	ON	2005/07/07 16:36
S92	36	original near3 image near3 (fine or detail\$2) near3 scan\$3	US-PGPUB; USPAT	OR	ON	2005/07/07 16:43
S93	87	original near3 image near3 (fine or detail\$2 or ((high or good) adj resolution)) with scan\$3	US-PGPUB; USPAT	OR	ON	2005/07/07 16:45